

CHRYSO®Cure and Seal

Concrete Sealer

Chryso
Decorative
Concrete

17/10/2024

DESCRIPTION

CHRYSO®Cure and Seal is a specially formulated acrylic solvent based sealer and curing agent designed for sealing and protecting all types of colored and decorative concrete surfaces.

As a curing agent, **CHRYSO®Cure and Seal** protects concrete during its hardening stage (14 days minimum) before the application of CHRYSO®Clear Seal.

CHRYSO®Cure and Seal will intensify the concrete color and protect the concrete surface against stains.

BENEFITS

- **CHRYSO®Cure and Seal** is particularly appropriate to protect stamped concrete, concrete floors, pavers, natural stone.
- **CHRYSO®Cure and Seal** will bring a wet effect on the concrete surface.
- **CHRYSO®Cure and Seal** is resistant to UV and will not be altered by sun exposure.
- **CHRYSO®Cure and Seal** once applied, will dry quickly and will enable the reopening of the treated area after a few hours for pedestrians.

PACKAGING

- 25L Container

FIELDS OF APPLICATION

- Stamped concrete
- Exposed aggregate concrete
- Aesthetic concrete
- Street furniture
- Precast elements
- Natural stone

CHRYSO®Cure and Seal

Concrete Sealer

Chryso
Decorative
Concrete

17/10/2024

INDICATIVE INFORMATION

Product Nature	liquid
Color	Colourless
Lifetime	12 months
Water solubility	Soluble
Specific gravity	0,900 ± 0,020
pH	6,50 ± 2,00
Flash Point	24 °C

METHOD OF USE

- **CHRYSO®Cure and Seal** dosage depends on the porosity of the surface to be treated. The average coverage is 1 liter for 6 to 8 m².
- **CHRYSO®Cure and Seal** is ready to use and can be applied by acrylic resistance roller (12 or 20 mm) or spray for both interior and exterior applications in a thin coat.
- **Apply CHRYSO®Cure and Seal** on clean and dry substrate, free of any water.
- Apply in a uniform manner without any run downs or puddles.
- On a structured substrate, **CHRYSO®Clear and Seal** should ideally be sprayed on the substrate and then brushed to ensure that the product is homogeneously distributed.
- Joints should not be filled with **CHRYSO®Cure and Seal**.
- Drying time: below 1 hour at 20°C.
- The brush or roller can be stored in the closed can or can be left to dry with fresh air.

Maintenance:

Depending on the concrete surface exposure to abrasion, a periodic maintenance, usually after several years, should be considered. **CHRYSO®Cure and Seal** can be applied on the same treated surface after thorough cleaning of the concrete surface.

Consumption :

- 100 to 200 g/m² in 1 coat

PRECAUTIONS

- Wait 24 hours before applying **CHRYSO®Cure and Seal** on a new concrete surface.
- Joints should not be filled with **CHRYSO®Cure and Seal**.
- Protect from sun, rain and frost.
- Steer well before use.
- **CHRYSO®Cure and Seal** must be applied on clean and dry substrates.
- Do not apply when it is wet or when the concrete temperature is above 25°C as it may reduce the product efficiency.

SAFETY

Prior to any use, please read carefully the Material Safety Data Sheets.