BAYFERROX 610



Version 1.0	Revision Date: 10/22/2018		DS Number: 03000009072	Date of previous issue: - Country / Language: US / EN	
SECTION	1. IDENTIFICATION				
Produ	uct name	:	BAYFERROX 61	0	
Mate	rial number	:	00005517		
Chen	nical family	:	inorganic		
Recommended use		:	Colorants (pigme	nts and dyestuffs), inorganic	
Manu	ufacturer or supplier's	deta	ails		
Supplier		:	LANXESS Corporation Product Safety & Regulatory Affairs 111 RIDC Park West Drive PittsburghPA 15275-1112 USA		
Telep	bhone	:	+1800LANXESS +14128091000 (ii	nternational)	
Emer	gency telephone	:	International (703		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Hazard Not Otherwise Classified (HNOC)

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled	: Move to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	: No special actions required.	
In case of eye contact	: Immediately flush eyes with plenty of water, occasionally	lifting

BAYFERROX 610



Version 1.0	Revision Date: 10/22/2018	SDS Number: 103000009072	Date of previous issue: - Country / Language: US / EN
If swa	allowed	If easy to do, Continue to ri Get medical a	l lower eyelids. remove contact lens, if worn. nse for at least 10 minutes. ittention if symptoms appear. ittention if symptoms occur.
Most	important symptom		
Sy	/mptoms	itching.	use irritation with symptoms of reddening and use irritation with symptoms of reddening, tear- ng.
Ef	fects	: May cause m	echanical irritation (abrasion).

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 .
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	No information available.
Hazardous combustion prod- ucts	:	The product itself does not burn.
Further information	:	Standard procedure for chemical fires. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment		Fire-fighters should wear appropriate protective equipment

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec tive equipment and emer- gency procedures	≻ :	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Avoid breathing dust. Use personal protective equipment. Avoid dust formation.
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with

BAYFERROX 610



Vers 1.0	sion	Revision Date: 10/22/2018		OS Number: 3000009072	Date of previous issue: - Country / Language: US / EN
		ls and materials for ment and cleaning up	:	Move containers Vacuum or sweep beled waste conta	up material and place in a designated, la-
SEC	TION 7	. HANDLING AND ST	OR	AGE	
	Advice	on safe handling	:		ection see section 8. and drinking should be prohibited in the ap-
				Workers should w and smoking.	rash hands and face before eating, drinking
	Conditi	ons for safe storage	:	Store in original c dry, cool and well materials (see Se Keep containers t ventilated place.	ce with local regulations. ontainer protected from direct sunlight in a -ventilated area, away from incompatible ction 10) and food and drink. ightly closed in a dry, cool and well- ions / working materials must comply with safety standards.
				etc.). Exposure to exce come unstable (sl tional heat. Unde may be sufficient	sources of heat (furnaces, kilns, boilers, ssive heat may cause this product to be- owly auto-oxidize) which generates addi- r certain circumstances this heat generation to cause combustible materials to ignite. Do ong oxidizers, sources of heat, or near flam- tible materials.
	Further age sta	nformation on stor-	:	No decompositior	if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Iron (III) Oxide	1309-37-1	TWA (Res- pirable frac- tion)	5 mg/m3	ACGIH
		TWA (Fumes)	10 mg/m3	OSHA Z-1
		TWA (total dust)	15 mg/m3	OSHA Z-1



BAYFERROX 610

Version 1.0	Revision Date: 10/22/2018		DS Number: 03000009072		evious issue: - .anguage: US / EN	
				TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
Engi	neering measures	:	This informat	ion is not availab	ble.	
Pers	onal protective equip	ment				
Resp	iratory protection	:	Dust-protecti	on mask if there	is a risk of dust form	ation.
	l protection aterial	:	Gloves			
Eye p	protection	:	Safety glasses with side-shields			
Skin	and body protection	:	Wear suitable	e protective cloth	ing.	
Hygie	ene measures	:	Wash face, h handling. Wash contan	do not eat, drink ands and any ex ninated clothing t strial hygiene pra	posed skin thorough	nly after

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	solid
Appearance	:	powder
Color	:	brown
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	4 - 8 Concentration: 5 %
Melting point/range	:	> 1,832 °F (> 1,000 °C)
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit	:	No data available

BAYFERROX 610



Versi 1.0	ion	Revision Date: 10/22/2018		S Number: 3000009072	Date of previous issue: - Country / Language: US / EN
,	Vapor p	pressure	:	No data available	9
I	Relative	e vapor density	:	No data available	9
I	Relative	e density	:	No data available	9
I	Density	,	:	4.4 g/cm ³ (68 °F	(20 °C))
I	Bulk de	nsity	:	300 - 1,000 kg/m	3
:	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	No data available	9
I	Ignition	temperature	:	No data available	9
I	Decom	position temperature	:	No data available	9
v	Viscosi	ty	:	No data available	9
I	Explosi	ve properties	:	No data available	9
(Oxidizir	ng properties	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is chemically stable.
		No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Excessive temperatures. At temperatures greater than 176 F (80 C), this product may become unstable and slowly auto- oxidize into Fe2O3 which generates additional heat. Under certain conditions this heat may be sufficient to cause com- bustible materials to ignite.
Incompatible materials	:	No specific data.
Hazardous decomposition products	:	No data available

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

BAYFERROX 610



ersion)	Revision Date: 10/22/2018	SDS Number: 103000009072	Date of previous issue: - Country / Language: US / EN
Inhala Eye c	nation on likely rout ation ontact contact	es of exposure	
	e toxicity	ilable information	
Produ	assified based on ava	allable information.	
	oral toxicity	: LD50 (Rat): > 5 Remarks: Test	5,000 mg/kg results on an analogous product
-	corrosion/irritation assified based on ava	ailable information.	
	u <u>ct:</u> lt: No skin irritation arks: Test results on a	n analogous product	
	us eye damage/eye assified based on ava		
	u <u>ct:</u> It: No eye irritation arks: Test results on a	n analogous product	
Resp	iratory or skin sensi	tization	
-	sensitization lassified based on ava	ailable information.	
-	iratory sensitization assified based on ava	ailable information.	
	e cell mutagenicity assified based on ava	ailable information.	
	nogenicity		
Not cl IARC	assified based on ava	No ingredient of the	his product present at levels greater than or dentified as probable, possible or confirmed h by IARC.
OSH	Α		this product present at levels greater than or n OSHA's list of regulated carcinogens.
NTP			nis product present at levels greater than or dentified as a known or anticipated carcinoge

BAYFERROX 610



Date of previous issue: -Country / Language: US / EN

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Product:

Remarks: Long-term exposure to high concentrations of dust containing iron oxide can cause a benign condition termed "pulmonary siderosis". This condition is not associated with any physical impairment of lung function.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish:LC50 (Leuciscus idus (Golden orfe)): > 1,000 mg/lExposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): > 1,000 mg/l Exposure time: 48 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Adsorbed organic bound halogens (AOX)	:	Remarks: The product does not contain organically bounded halogens which could lead to an AOX value in waste water.
Additional ecological infor- mation	:	Ecotoxicological data are not available. No known significant effects or critical hazards.

SECTION 13. DISPOSAL CONSIDERATIONS

RCRA - Resource Conserva- :	If discarded in its purchased form, this product would not be a
tion and Recovery Authoriza-	hazardous waste either by listing or by characteristic. Howev-

BAYFERROX 610



Version 1.0	Revision Date: 10/22/2018	SDS Number: 103000009072	Date of previous issue: - Country / Language: US / EN
tion A	ct	determine at the ing the product	A, it is the responsibility of the product user to e time of disposal, whether a material contain- or derived from the product should be classi- dous waste. (40 CFR 261.20-24)
Dispo	sal methods	wherever possi This material ar way. Empty containe tions for produc Avoid dispersal soil, waterways Waste disposal	nd its container must be disposed of in a safe ers retain product residue; observe all precau-

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

DOT Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

CERCLA

None

Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

BAYFERROX 610



Version 1.0	Revision Date: 10/22/2018	SDS Number: 103000009072	Date of previous issue: - Country / Language: US /	EN					
US State Regulations									
Massa	achusetts Right To Iron (III) Oxide	Know	1309-37-1	25 - 35					
Penns	sylvania Right To K	now							
C.I. Pigment Yellow 42 Iron (III) Oxide C.I. Pigment Black 11			51274-00-1 1309-37-1 1317-61-9	35 - 45 25 - 35 25 - 35					

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive defects.

Potential exposure to some or all of the California Proposition 65 chemicals in this product have been determined to be below the No Significant Risk Level (NSRL).

TSCA inventory

TSCA


: On TSCA Inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

Revision Date : 10/22/2018



BAYFERROX 610

Version Revision Date: SDS Number: 1.0 10/22/2018 10300009072	Date of previous issue: - Country / Language: US / EN
---	--

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of our knowledge. The information provided in this Safety Data Sheet (SDS) is correct to the best of our knowledge, information and belief at the date of its publication. We assume no legal responsibility for use of or reliance upon the information in this SDS.